

## **Chemtools Pty Ltd**

Chemwatch: 1219 Version No: 7.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

### Chemwatch Hazard Alert Code: 3

Issue Date: **19/05/2023**Print Date: **25/09/2023**S.GHS.AUS/NZ.EN.E

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### **Product Identifier**

| Product name                  | COMMON FLUX THINNERS            |
|-------------------------------|---------------------------------|
| Chemical Name                 | isopropanol                     |
| Proper shipping name          | ISOPROPANOL (ISOPROPYL ALCOHOL) |
| Chemical formula              | C3H8O                           |
| Other means of identification | Not Available                   |
| CAS number                    | 67-63-0                         |

### Relevant identified uses of the substance or mixture and uses advised against

|                          | Solvent for chemicals, paints, varnishes, gums, resins, essential oils. Used in the preservation of physiological and pathological |
|--------------------------|--|
| Relevant identified uses | specimens. Used for extraction processes, perfumery, and pharmaceuticals. Used in the production of acetone, glycerol and          |
|                          | isopropyl esters, acetate.   |

## Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Chemtools Pty Ltd   | Chemtools Pty Ltd  |
|-------------------------|---|--|
| Address                 | Unit 2, 14 - 16 Lee Holm Road St Marys NSW 2760 Australia | 15/62 Factory Road Belfast Christchurch 8051 New Zealand |
| Telephone               | 1300 738 250, +61 2 9833 9766                             | +64 9 940 2745   |
| Fax                     | +61 2 9623 3670   | +61 2 9623 3670  |
| Website                 | www.chemtools.com.au                                      | www.chemtools.co.nz                                      |
| Email                   | sales@chemtools.com.au                                    | sales@chemtools.com.au                                   |

## **Emergency telephone number**

| Association / Organisation        | Poisons Information Centre | National Poisons Centre |
|-----------------------------------|----------------------------|-------------------------|
| Emergency telephone numbers       | 13 11 26                   | 0800 764 766            |
| Other emergency telephone numbers | Not Available              | Not Available           |

## **SECTION 2 Hazards identification**

## Classification of the substance or mixture

## HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| Poisons Schedule   | Not Applicable  |
|--------------------|---|
| Classification [1] | Flammable Liquids Category 2, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Toxicity - Single Exposure (Narcotic Effects) Category 3 |
| Legend:            | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI                         |

Issue Date: 19/05/2023 Print Date: 25/09/2023

### Label elements

Hazard pictogram(s)





Signal word

Danger

## Hazard statement(s)

| H225   | Highly flammable liquid and vapour. |
|--------|-------------------------------------|
| H319   | Causes serious eye irritation.      |
| H336   | May cause drowsiness or dizziness.  |
| AUH019 | May form explosive peroxides.       |

## Precautionary statement(s) Prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|------|--|
| P271 | Use only outdoors or in a well-ventilated area.  |
| P240 | Ground and bond container and receiving equipment.   |
| P241 | Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.              |
| P242 | Use non-sparking tools.  |
| P243 | Take action to prevent static discharges.  |
| P261 | Avoid breathing mist/vapours/spray.  |
| P280 | Wear protective gloves, protective clothing, eye protection and face protection.               |
| P264 | Wash all exposed external body areas thoroughly after handling.                                |

## Precautionary statement(s) Response

| P370+P378      | In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.  |
|----------------|--|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312           | Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.  |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |

## Precautionary statement(s) Storage

| P403+P235 | Store in a well-ventilated place. Keep cool. |
|-----------|--|
| P405      | Store locked up.                             |

## Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Classified as Dangerous Goods for transport purposes.

## NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

| Classification [2]          | Flammable Liquids Category 2, Serious Eye Damage/Eye Irritation Category 2, Aspiration Hazard Category 1                                   |  |
|-----------------------------|--|--|
| Legend:                     | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI |  |
| Gazetted by EPA New Zealand | 3.1B, 6.1E (aspiration), 6.4A  |  |

### Page 3 of 17

### **COMMON FLUX THINNERS**

Issue Date: 19/05/2023 Print Date: 25/09/2023

### Label elements









Signal word

Danger

## Hazard statement(s)

| H225 | Highly flammable liquid and vapour.           |
|------|---|
| H319 | Causes serious eye irritation.                |
| H304 | May be fatal if swallowed and enters airways. |

## Supplementary statement(s)

Not Applicable

### Precautionary statement(s) Prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|------|--|
| P233 | Keep container tightly closed.   |
| P240 | Ground and bond container and receiving equipment.   |
| P241 | Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.              |
| P242 | Use non-sparking tools.  |
| P243 | Take action to prevent static discharges.  |
| P280 | Wear protective gloves, protective clothing, eye protection and face protection.               |
| P264 | Wash all exposed external body areas thoroughly after handling.                                |

## Precautionary statement(s) Response

|                | •  |
|----------------|--|
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.   |
| P331           | Do NOT induce vomiting.  |
| P370+P378      | In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |

## Precautionary statement(s) Storage

| P403+P235 | Store in a well-ventilated place. Keep cool. |
|-----------|--|
| P405      | Store locked up.                             |

### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

## **SECTION 3 Composition / information on ingredients**

### **Substances**

| CAS No  | %[weight] | Name                 |
|---------|-----------|----------------------|
| 67-63-0 | >99       | Common Flux Thinners |

1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Legend: Classification drawn from C&L; \* EU IOELVs available

#### **Mixtures**

See section above for composition of Substances

## **SECTION 4 First aid measures**

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

#### Description of first aid measures

| Eye Contact  | If this product comes in contact with the eyes:  Number Wash out immediately with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Seek medical attention without delay; if pain persists or recurs seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.   |
|--------------|--|
| Skin Contact | If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.   |
| Inhalation   | <ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>   |
| Ingestion    | <ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> <li>If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.</li> </ul> |

#### Indication of any immediate medical attention and special treatment needed

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours. For acute or short term repeated exposures to isopropanol:

- Rapid onset respiratory depression and hypotension indicates serious ingestions that require careful cardiac and respiratory monitoring together with immediate intravenous access.
- Rapid absorption precludes the usefulness of emesis or lavage 2 hours post-ingestion. Activated charcoal and cathartics are not clinically useful. Ipecac is most useful when given 30 mins. post-ingestion.
- There are no antidotes.
- ▶ Management is supportive. Treat hypotension with fluids followed by vasopressors.
- ▶ Watch closely, within the first few hours for respiratory depression; follow arterial blood gases and tidal volumes.
- Ice water lavage and serial haemoglobin levels are indicated for those patients with evidence of gastrointestinal bleeding.

## **SECTION 5 Firefighting measures**

#### **Extinguishing media**

- Alcohol stable foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog Large fires only.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility

Fire Fighting

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

## Advice for firefighters

▶ Alert Fire Brigade and tell them location and nature of hazard.


▶ May be violently or explosively reactive.

- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water course.
- Consider evacuation (or protect in place).
- Fight fire from a safe distance, with adequate cover.
- If safe, switch off electrical equipment until vapour fire hazard removed.
- ▶ Use water delivered as a fine spray to control the fire and cool adjacent area.
- Avoid spraying water onto liquid pools.
- Do not approach containers suspected to be hot.

#### Page 5 of 17

#### COMMON FLUX THINNERS

Issue Date: **19/05/2023**Print Date: **25/09/2023** 



#### **SECTION 6 Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

| Minor Spills | <ul> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb small quantities with vermiculite or other absorbent material.</li> <li>Wipe up.</li> <li>Collect residues in a flammable waste container.</li> </ul>  |
|--------------|--|
| Major Spills | <ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Consider evacuation (or protect in place).</li> <li>No smoking, naked lights or ignition sources.</li> <li>Increase ventilation.</li> <li>Stop leak if safe to do so.</li> <li>Water spray or fog may be used to disperse /absorb vapour.</li> <li>Contain spill with sand, earth or vermiculite.</li> <li>Use only spark-free shovels and explosion proof equipment.</li> <li>Collect recoverable product into labelled containers for recycling.</li> <li>Absorb remaining product with sand, earth or vermiculite.</li> <li>Collect solid residues and seal in labelled drums for disposal.</li> <li>Wash area and prevent runoff into drains.</li> <li>If contamination of drains or waterways occurs, advise emergency services.</li> </ul> |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

### Precautions for safe handling

- $\ ^{\blacktriangleright}$  Containers, even those that have been emptied, may contain explosive vapours.
- ▶ Do NOT cut, drill, grind, weld or perform similar operations on or near containers.
- ▶ DO NOT allow clothing wet with material to stay in contact with skin

The substance accumulates peroxides which may become hazardous only if it evaporates or is distilled or otherwise treated to concentrate the peroxides. The substance may concentrate around the container opening for example.

Purchases of peroxidisable chemicals should be restricted to ensure that the chemical is used completely before it can become peroxidised.

#### Safe handling

- A responsible person should maintain an inventory of peroxidisable chemicals or annotate the general chemical inventory to indicate which chemicals are subject to peroxidation. An expiration date should be determined. The chemical should either be treated to remove peroxides or disposed of before this date.
- The person or laboratory receiving the chemical should record a receipt date on the bottle. The individual opening the container should add an opening date.
- Unopened containers received from the supplier should be safe to store for 18 months.
- Opened containers should not be stored for more than 12 months.
- Avoid all personal contact, including inhalation.

Chemwatch: 1219 Version No: 7.1

## Page 6 of 17

#### **COMMON FLUX THINNERS**

Issue Date: 19/05/2023 Print Date: 25/09/2023

- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- ▶ DO NOT enter confined spaces until atmosphere has been checked.
- Avoid smoking, naked lights, heat or ignition sources.
- ▶ When handling, **DO NOT** eat, drink or smoke.
- Vapour may ignite on pumping or pouring due to static electricity.
- ► DO NOT use plastic buckets.
- ▶ Earth and secure metal containers when dispensing or pouring product.
- Use spark-free tools when handling.
- Avoid contact with incompatible materials.
- Keep containers securely sealed.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately.
- Use good occupational work practice.
- Observe manufacturer's storage and handling recommendations contained within this SDS.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.
- Store in original containers in approved flame-proof area.
- No smoking, naked lights, heat or ignition sources.
- ▶ DO NOT store in pits, depression, basement or areas where vapours may be trapped.
- ▶ Keep containers securely sealed.
- ▶ Store away from incompatible materials in a cool, dry well ventilated area.
- ▶ Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storage and handling recommendations contained within this MSDS.
- Tank storage: Tanks must be specifically designed for use with this product. Bulk storage tanks should be diked (bunded). Locate tanks away from heat and other sources of ignition. Cleaning, inspection and maintenance of storage tanks is a specialist operation, which requires the implementation of strict procedures and precautions.
- Keep in a cool place. Electrostatic charges will be generated during pumping. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment to reduce the risk. The vapours in the head space of the storage vessel may lie in the flammable/explosive range and hence may be flammable.
- For containers, or container linings use mild steel, stainless steel. Examples of suitable materials are: high density polyethylene (HDPE), polypropylene (PP), and Viton (FMK), which have been specifically tested for compatibility with this
- ► For container linings, use amine-adduct cured epoxy paint.
- For seals and gaskets use: graphite, PTFE, Viton A, Viton B.
- Unsuitable material: Some synthetic materials may be unsuitable for containers or container linings depending on the material specification and intended use. Examples of materials to avoid are: natural rubber (NR), nitrile rubber (NBR). ethylene propylene rubber (EPDM), polymethyl methacrylate (PMMA), polystyrene, polyvinyl chloride (PVC), polyisobutylene. However, some may be suitable for glove materials.
- Do not cut, drill, grind, weld or perform similar operations on or near containers. Containers, even those that have been emptied, can contain explosive vapours.

## Conditions for safe storage, including any incompatibilities

## ▶ DO NOT use aluminium or galvanised containers

- Packing as supplied by manufacturer.
- Plastic containers may only be used if approved for flammable liquid.
- Check that containers are clearly labelled and free from leaks.
- For low viscosity materials (i): Drums and jerry cans must be of the non-removable head type. (ii): Where a can is to be used as an inner package, the can must have a screwed enclosure.
- ► For materials with a viscosity of at least 2680 cSt. (23 deg. C)
- For manufactured product having a viscosity of at least 250 cSt. (23 deg. C)
- Manufactured product that requires stirring before use and having a viscosity of at least 20 cSt (25 deg. C): (i) Removable head packaging; (ii) Cans with friction closures and (iii) low pressure tubes and cartridges may be used.
- Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages
- In addition, where inner packagings are glass and contain liquids of packing group I there must be sufficient inert absorbent to absorb any spillage, unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.

### Avoid isocyanates.

Isopropanol (syn: isopropyl alcohol, IPA):

### • forms ketones and unstable peroxides on contact with air or oxygen; the presence of ketones especially methyl ethyl ketone (MEK, 2-butanone) will accelerate the rate of peroxidation

### reacts violently with strong oxidisers, powdered aluminium (exothermic), crotonaldehyde, diethyl aluminium bromide (ignition), dioxygenyl tetrafluoroborate (ignition/ ambient temperature), chromium trioxide (ignition), potassium-tert-butoxide (ignition), nitroform (possible explosion), oleum (pressure increased in closed container), cobalt chloride, aluminium triisopropoxide, hydrogen plus palladium dust (ignition), oxygen gas, phosgene, phosgene plus iron salts (possible explosion), sodium dichromate plus sulfuric acid (exothermic/incandescence), triisobutyl aluminium

- reacts with phosphorus trichloride forming hydrogen chloride gas
- reacts, possibly violently, with alkaline earth and alkali metals, strong acids, strong caustics, acid anhydrides,

### Storage incompatibility

Suitable container

Other information

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

halogens, aliphatic amines, aluminium isopropoxide, isocyanates, acetaldehyde, barium perchlorate (forms highly explosive perchloric ester compound), benzoyl peroxide, chromic acid, dialkylzincs, dichlorine oxide, ethylene oxide (possible explosion), hexamethylene diisocyanate (possible explosion), hydrogen peroxide (forms explosive compound), hypochlorous acid, isopropyl chlorocarbonate, lithium aluminium hydride, lithium tetrahydroaluminate, nitric acid, nitrogen dioxide, nitrogen tetraoxide (possible explosion), pentafluoroguanidine, perchloric acid (especially hot), permonosulfuric acid, phosphorus pentasulfide, tangerine oil, triethylaluminium, triisobutylaluminium, trinitromethane

- ▶ attacks some plastics, rubber and coatings
- reacts with metallic aluminium at high temperature
- ► may generate electrostatic charges

#### Alcohols

- are incompatible with strong acids, acid chlorides, acid anhydrides, oxidising and reducing agents.
- reacts, possibly violently, with alkaline metals and alkaline earth metals to produce hydrogen
- react with strong acids, strong caustics, aliphatic amines, isocyanates, acetaldehyde, benzoyl peroxide, chromic acid, chromium oxide, dialkylzincs, dichlorine oxide, ethylene oxide, hypochlorous acid, isopropyl chlorocarbonate, lithium tetrahydroaluminate, nitrogen dioxide, pentafluoroguanidine, phosphorus halides, phosphorus pentasulfide, tangerine oil, triethylaluminium. triisobutylaluminium
- ▶ should not be heated above 49 deg. C. when in contact with aluminium equipment

Secondary alcohols and some branched primary alcohols may produce potentially explosive peroxides after exposure to light and/ or heat.















- X Must not be stored together
- May be stored together with specific preventions
- + May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

### **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

### Occupational Exposure Limits (OEL)

### **INGREDIENT DATA**

| Source                   | Ingredient  | Material name | TWA           | STEL             | Peak      | Notes     |
|--------------------------|-------------|---------------|---------------|------------------|-----------|-----------|
| Australia Exposure       | Common Flux | Isopropyl     | 400 ppm / 983 | 1230 mg/m3 / 500 | Not       | Not       |
| Standards                | Thinners    | alcohol       | mg/m3         | ppm              | Available | Available |
| New Zealand Workplace    | Common Flux | Isopropyl     | 400 ppm / 983 | 1230 mg/m3 / 500 | Not       | Not       |
| Exposure Standards (WES) | Thinners    | alcohol       | mg/m3         | ppm              | Available | Available |

#### **Emergency Limits**

| Ingredient           | TEEL-1  | TEEL-2    | TEEL-3      |
|----------------------|---------|-----------|-------------|
| Common Flux Thinners | 400 ppm | 2000* ppm | 12000** ppm |

| Ingredient           | Original IDLH | Revised IDLH  |
|----------------------|---------------|---------------|
| Common Flux Thinners | 2,000 ppm     | Not Available |

### **Exposure controls**

Appropriate engineering

controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.

For flammable liquids and flammable gases, local exhaust ventilation or a process enclosure ventilation system may be required. Ventilation equipment should be explosion-resistant.

Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant: Air Speed:

#### Page 8 of 17

#### **COMMON FLUX THINNERS**

Issue Date: 19/05/2023
Print Date: 25/09/2023

| solvent, vapours, degreasing etc., evaporating from tank (in still air).  | 0.25-0.5<br>m/s<br>(50-100<br>f/min.) |
|---|---------------------------------------|
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s<br>(100-200<br>f/min.)      |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)  | 1-2.5 m/s<br>(200-500<br>f/min.)      |

Within each range the appropriate value depends on:

| Lower end of the range                                     | Upper end of the range           |  |
|--|----------------------------------|--|
| 1: Room air currents minimal or favourable to capture      | 1: Disturbing room air currents  |  |
| 2: Contaminants of low toxicity or of nuisance value only. | 2: Contaminants of high toxicity |  |
| 3: Intermittent, low production.                           | 3: High production, heavy use    |  |
| 4: Large hood or large air mass in motion                  | 4: Small hood-local control only |  |

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

- · Adequate ventilation is typically taken to be that which limits the average concentration to no more than 25% of the LEL within the building, room or enclosure containing the dangerous substance.
- · Ventilation for plant and machinery is normally considered adequate if it limits the average concentration of any dangerous substance that might potentially be present to no more than 25% of the LEL. However, an increase up to a maximum 50% LEL can be acceptable where additional safeguards are provided to prevent the formation of a hazardous explosive atmosphere. For example, gas detectors linked to emergency shutdown of the process might be used together with maintaining or increasing the exhaust ventilation on solvent evaporating ovens and gas turbine enclosures.
- Temporary exhaust ventilation systems may be provided for non-routine higher-risk activities, such as cleaning, repair or maintenance in tanks or other confined spaces or in an emergency after a release. The work procedures for such activities should be carefully considered. The atmosphere should be continuously monitored to ensure that ventilation is adequate and the area remains safe. Where workers will enter the space, the ventilation should ensure that the concentration of the dangerous substance does not exceed 10% of the LEL (irrespective of the provision of suitable breathing apparatus)

### Individual protection measures, such as personal protective equipment











# Eye and face protection

- ▶ Safety glasses with side shields.
- ▶ Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

#### Skin protection

See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

#### Hands/feet protection

- · frequency and duration of contact,
- · chemical resistance of glove material,
- · glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

- · When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- · When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.

#### Page 9 of 17

#### **COMMON FLUX THINNERS**

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

· Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.

· Contaminated gloves should be replaced.

As defined in ASTM F-739-96 in any application, gloves are rated as:

- · Excellent when breakthrough time > 480 min
- Good when breakthrough time > 20 min
- · Fair when breakthrough time < 20 min
- · Poor when glove material degrades

For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.

It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.

Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers technical data should always be taken into account to ensure selection of the most appropriate glove for the task. Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

- · Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
- · Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

#### **Body protection**

Other protection

#### See Other protection below

#### ► Overalls.

- ► PVC Apron.
- ▶ PVC protective suit may be required if exposure severe.
- ► Evewash unit.
- Ensure there is ready access to a safety shower.
- Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity.
- For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets).
- Non sparking safety or conductive footwear should be considered. Conductive footwear describes a boot or shoe with a sole made from a conductive compound chemically bound to the bottom components, for permanent control to electrically ground the foot an shall dissipate static electricity from the body to reduce the possibility of ignition of volatile compounds. Electrical resistance must range between 0 to 500,000 ohms. Conductive shoes should be stored in lockers close to the room in which they are worn. Personnel who have been issued conductive footwear should not wear them from their place of work to their homes and return.

## Recommended material(s)

**GLOVE SELECTION INDEX** 

### Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum<br>Protection Factor | Half-Face<br>Respirator | Full-Face<br>Respirator | Powered Air<br>Respirator |
|---------------------------------------|-------------------------|-------------------------|---------------------------|
| up to 10 x ES                         | Air-line*               | A-2                     | A-PAPR-2 ^                |
| up to 20 x ES                         | -                       | A-3                     | -                         |
| 20+ x ES                              | -                       | Air-line**              | -                         |

\* - Continuous-flow; \*\* - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

Glove selection is based on a modified presentation of the:

#### "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

**COMMON FLUX THINNERS** 

| Material          | СРІ |
|-------------------|-----|
| NEOPRENE          | А   |
| NITRILE           | A   |
| NITRILE+PVC       | A   |
| PE/EVAL/PE        | A   |
| PVC               | В   |
| NAT+NEOPR+NITRILE | С   |
| NATURAL RUBBER    | С   |
| NATURAL+NEOPRENE  | С   |

\* CPI - Chemwatch Performance Index

A: Best Selection

- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

## **Ansell Glove Selection**

| Glove — In order of recommendation |
|------------------------------------|
| AlphaTec® 58-530B                  |
| AlphaTec® 58-530W                  |
| AlphaTec® 79-700                   |
| AlphaTec® Solvex® 37-675           |
| MICROFLEX® 63-864                  |
| MICROFLEX® Diamond Grip® MF-300    |
| TouchNTuff® 83-500                 |
| AlphaTec 02-100                    |
| AlphaTec® Solvex® 37-185           |
| AlphaTec® 38-612                   |

changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

### **SECTION 9 Physical and chemical properties**

## Information on basic physical and chemical properties

| Appearance                                   | Clear, colourless highly flammable liquid with an odour of rubbing alcohol; mixes with water, alcohol and ether. |   |               |
|--|--|---|---------------|
| Physical state                               | Liquid   | Relative density (Water = 1)            | 0.78 @ 25 C   |
| Odour  | Not Available  | Partition coefficient n-octanol / water | Not Available |
| Odour threshold                              | Not Available  | Auto-ignition temperature (°C)          | 456           |
| pH (as supplied)                             | Not Applicable   | Decomposition temperature (°C)          | Not Available |
| Melting point / freezing point (°C)          | -88.5  | Viscosity (cSt)                         | Not Available |
| Initial boiling point and boiling range (°C) | 82.0   | Molecular weight (g/mol)                | 60.11         |
| Flash point (°C)                             | 11.7   | Taste                                   | Not Available |

Issue Date: 19/05/2023 Print Date: 25/09/2023

| Evaporation rate          | 2.4 BuAc=1        | Explosive properties             | Not Available  |
|---------------------------|-------------------|----------------------------------|----------------|
| Flammability              | HIGHLY FLAMMABLE. | Oxidising properties             | Not Available  |
| Upper Explosive Limit (%) | 12.7              | Surface Tension (dyn/cm or mN/m) | Not Available  |
| Lower Explosive Limit (%) | 2.3               | Volatile Component (%vol)        | 100            |
| Vapour pressure (kPa)     | 4.4 @ 20 C        | Gas group                        | Not Available  |
| Solubility in water       | Miscible          | pH as a solution (1%)            | Not Applicable |
| Vapour density (Air = 1)  | 2.07              | VOC g/L                          | 772.98         |

## **SECTION 10 Stability and reactivity**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

## **SECTION 11 Toxicological information**

## Information on toxicological effects

| ntormation on toxicologi | cal effects  |
|--------------------------|--|
| Inhaled                  | The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.  Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo.  Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.  Aliphatic alcohols with more than 3-carbons cause headache, dizziness, drowsiness, muscle weakness and delirium, central depression, coma, seizures and behavioural changes. Secondary respiratory depression and failure, as well as low blood pressure and irregular heart rhythms, may follow.  The odour of isopropanol may give some warning of exposure, but odour fatigue may occur. Inhalation of isopropanol may produce irritation of the nose and throat with sneezing, sore throat and runny nose.  |
| Ingestion                | Accidental ingestion of the material may be damaging to the health of the individual.  Overexposure to non-ring alcohols causes nervous system symptoms. These include headache, muscle weakness and inco-ordination, giddiness, confusion, delirium and coma.  Swallowing 10 millilitres of isopropanol may cause serious injury; 100 millilitres may be fatal if not properly treated. The adult single lethal dose is approximately 250 millilitres. Isopropanol is twice as poisonous as ethanol, and the effects caused are similar, except that isopropanol does not cause an initial feeling of well-being. Swallowing may cause nausea, vomiting and diarrhea; vomiting and stomach inflammation is more prominent with isopropanol than with ethanol. Animals given near-lethal doses also showed inco-ordination, lethargy, inactivity and loss of consciousness.  There is evidence that a slight tolerance to isopropanol may be acquired.  Swallowing of the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis; serious consequences may result. (ICSC13733) |
| Skin Contact             | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.  Repeated exposure may cause skin cracking, flaking or drying following normal handling and use.  Most liquid alcohols appear to act as primary skin irritants in humans. Significant percutaneous absorption occurs in rabbits but not apparently in man.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.  Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  |
| Eye                      | This material can cause eye irritation and damage in some persons.  Isopropanol vapour may cause mild eye irritation at 400 parts per million. Splashes may cause severe eye irritation, possible burns to the cornea and eye damage. Eye contact may cause tearing and blurring of vision.  |
| Chronic                  | Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.   |

#### Page 12 of 17

#### **COMMON FLUX THINNERS**

Issue Date: 19/05/2023
Print Date: 25/09/2023

Long term, or repeated exposure of isopropanol may cause inco-ordination and tiredness.

Repeated inhalation exposure to isopropanol may produce sleepiness, inco-ordination and liver degeneration. Animal data show developmental effects only at exposure levels that produce toxic effects in adult animals. Isopropanol does not cause genetic damage.

There are inconclusive reports of human sensitisation from skin contacts with isopropanol. Chronic alcoholics are more tolerant of the whole-body effects of isopropanol.

Animal testing showed the chronic exposure did not produce reproductive effects.

NOTE: Commercial isopropanol does not contain "isopropyl oil", which caused an excess incidence of sinus and throat cancers in isoproanol production workers in the past. "Isopropyl oil" is no longer formed during production of isopropanol.

| Common Flux Thinner | s |
|---------------------|---|

| TOXICITY   | IRRITATION                        |
|--|-----------------------------------|
| Dermal (rabbit) LD50: 12800 mg/kg <sup>[2]</sup> | Eye (rabbit): 10 mg - moderate    |
| Inhalation(Mouse) LC50; 53 mg/L4h <sup>[2]</sup> | Eye (rabbit): 100 mg - SEVERE     |
| Oral (Mouse) LD50; 3600 mg/kg <sup>[2]</sup>     | Eye (rabbit): 100mg/24hr-moderate |
|  | Skin (rabbit): 500 mg - mild      |

#### Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

#### **COMMON FLUX THINNERS**

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.

Isopropanol is irritating to the eyes, nose and throat but generally not to the skin. Prolonged high dose exposure may also produce depression of the central nervous system and drowsiness. Few have reported skin irritation. It can be absorbed from the skin or when inhaled. Intentional swallowing is common particularly among alcoholics or suicide victims and also leads to fainting, breathing difficulty, nausea, vomiting and headache. In the absence of unconsciousness, recovery usually occurred. Repeated doses may damage the kidneys. A decrease in the frequency of mating has been found in among animals, and newborns have been found to have a greater incidence of low birth weight. Tumours of the testes have been observed in the male rat. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling,

the production of vesicles, scaling and thickening of the skin. The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans.

Evidence of carcinogenicity may be inadequate or limited in animal testing.

| Acute Toxicity                    | × | Carcinogenicity          | ×        |
|-----------------------------------|---|--------------------------|----------|
| Skin Irritation/Corrosion         | × | Reproductivity           | ×        |
| Serious Eye<br>Damage/Irritation  | × | STOT - Single Exposure   | ×        |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | ×        |
| Mutagenicity                      | × | Aspiration Hazard        | <b>~</b> |

**Legend: X** − Data either not available or does not fill the criteria for classification

✓ – Data available to make classification

#### **SECTION 12 Ecological information**

### **Toxicity**

|                      | Endpoint  | Test Duration (hr) | Species                       | Value     | Source |
|----------------------|-----------|--------------------|-------------------------------|-----------|--------|
|                      | EC50      | 72h                | Algae or other aquatic plants | >1000mg/l | 1      |
|                      | EC50      | 48h                | Crustacea                     | 7550mg/l  | 4      |
| Common Flux Thinners | EC50      | 96h                | Algae or other aquatic plants | >1000mg/l | 1      |
|                      | LC50      | 96h                | Fish                          | >1400mg/l | 4      |
|                      | EC50(ECx) | 24h                | Algae or other aquatic plants | 0.011mg/L | 4      |
|                      |           |                    |                               |           |        |

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity

#### Page 13 of 17

#### **COMMON FLUX THINNERS**

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For Isopropanol (IPA): log Kow: -0.16- 0.28; Half-life (hr) air: 33-84;

Half-life (hr) H2O surface water: 130; Henry's atm m3 /mol: 8.07E-06;

BOD 5: 1.19,60%; COD: 1.61-2.30, 97%;

ThOD: 2.4; BOD 20: >70%

Environmental Fate: IPA is expected to partition primarily to the aquatic compartment (77.7%) with the remainder to the air (22.3%). Overall, IPA presents a low potential hazard to aquatic or terrestrial biota.

Aquatic Fate: IPA has been shown to biodegrade rapidly in aerobic, aqueous biodegradation tests and therefore, would not be expected to persist in aquatic habitats. IPA is expected to volatilize slowly from water. The calculated half-life for the volatilization from surface water (1 meter depth) is predicted to range from 4 days (from a river) to 31 days (from a lake). Hydrolysis is not considered a significant degradation process for IPA, however; aerobic biodegradation of IPA has been shown to occur rapidly under non-acclimated conditions. IPA is readily biodegradable in both freshwater and saltwater (72 to 78% biodegradation in 20 days).

Terrestrial Fate: Soil - IPA is also not expected to persist in surface soils due to rapid evaporation to the air. IPA will evaporate quickly from soil and is not expected to partition to the soil however; IPA has the potential to leach through the soil due to its low soil adsorption. Plants - Toxicity of IPA to plants is expected to be low. Atmospheric Fate: IPA is subject to oxidation predominantly by hydroxy radical attack. The atmospheric half-life is expected to be 10 to 25 hours. Direct photolysis is not expected to be an important transformation process for the degradation of IPA.

Ecotoxicity: IPA has been shown to have a low order of acute aquatic toxicity and is not acutely toxic to fish and invertebrates. Chronic aquatic toxicity has also been shown to be of low concern and bioconcentration in aquatic organisms is not expected to occur.

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

| Ingredient           | Persistence: Water/Soil   | Persistence: Air         |
|----------------------|---------------------------|--------------------------|
| Common Flux Thinners | LOW (Half-life = 14 days) | LOW (Half-life = 3 days) |

### **Bioaccumulative potential**

| Ingredient           | Bioaccumulation     |
|----------------------|---------------------|
| Common Flux Thinners | LOW (LogKOW = 0.05) |

### Mobility in soil

| Ingredient           | Mobility          |
|----------------------|-------------------|
| Common Flux Thinners | HIGH (KOC = 1.06) |

#### **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ► Reuse
- ► Recycling
- ► Disposal (if all else fails)

Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Issue Date: 19/05/2023 Print Date: 25/09/2023

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

## **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

DO NOT deposit the hazardous substance into or onto a landfill or a sewage facility.

Burning the hazardous substance must happen under controlled conditions with no person or place exposed to

- (1) a blast overpressure of more than 9 kPa; or
- (2) an unsafe level of heat radiation.

The disposed hazardous substance must not come into contact with class 1 or 5 substances.

## **SECTION 14 Transport information**

#### **Labels Required**

|                  | 3    |
|------------------|------|
| Marine Pollutant | NO   |
| HAZCHEM          | •2YE |

### Land transport (ADG)

| 14.1. UN number or ID number       | 1219   |  |
|------------------------------------|--|--|
| 14.2. UN proper shipping name      | ISOPROPANOL (ISOPROPYL ALCOHOL)                        |  |
| 14.3. Transport hazard class(es)   | Class 3 Subsidiary risk Not Applicable                 |  |
| 14.4. Packing group                | II .   |  |
| 14.5. Environmental hazard         | Not Applicable   |  |
| 14.6. Special precautions for user | Special provisions Not Applicable Limited quantity 1 L |  |

## Land transport (UN)

|       | UN number or ID number  | 1219               |                                 |  |
|-------|-------------------------|--------------------|---------------------------------|--|
| 14.2. | UN proper shipping name | ISOPROPANOL (IS    | ISOPROPANOL (ISOPROPYL ALCOHOL) |  |
|       | Transport hazard        | Class              | 3                               |  |
|       | class(es)               | Subsidiary risk    | Not Applicable                  |  |
| 14.4. | Packing group           |                    |                                 |  |
| 14.5. | Environmental<br>hazard | Not Applicable     |                                 |  |
| 14.6. | Special precautions     | Special provisions | Not Applicable                  |  |
|       | for user                | Limited quantity   | 1L                              |  |

### Air transport (ICAO-IATA / DGR)

| 14.1. UN number               | 1219                           |
|-------------------------------|--------------------------------|
| 14.2. UN proper shipping name | Isopropyl alcohol; Isopropanol |

Version No: 7.1

## Page 15 of 17

### **COMMON FLUX THINNERS**

Issue Date: 19/05/2023 Print Date: 25/09/2023

| 14.3. Transport hazard             | ICAO/IATA Class   | 3                 |      |
|------------------------------------|---|-------------------|------|
| class(es)                          | ICAO / IATA Subsidiary Hazard                             | Not Applicable    |      |
| · ,                                | ERG Code  | 3L                |      |
| 14.4. Packing group                | II  |                   |      |
| 14.5. Environmental hazard         | Not Applicable  |                   |      |
| 14.6. Special precautions for user | Special provisions  |                   | A180 |
|                                    | Cargo Only Packing Instructions                           |                   | 364  |
|                                    | Cargo Only Maximum Qty / Pack                             |                   | 60 L |
|                                    | Passenger and Cargo Packing Instructions                  |                   | 353  |
|                                    | Passenger and Cargo Maximum Qty / Pack                    |                   | 5 L  |
|                                    | Passenger and Cargo Limited Quantity Packing Instructions |                   | Y341 |
|                                    | Passenger and Cargo Limited Ma                            | aximum Qty / Pack | 1 L  |

## Sea transport (IMDG-Code / GGVSee)

| 14.1. UN number                    | 1219   |  |
|------------------------------------|--|--|
| 14.2. UN proper shipping name      | ISOPROPANOL (ISOPROPYL ALCOHOL)  |  |
| 14.3. Transport hazard class(es)   | IMDG Class 3 IMDG Subrisk Not Applicable                                     |  |
| 14.4. Packing group                | II .   |  |
| 14.5 Environmental hazard          | Not Applicable   |  |
| 14.6. Special precautions for user | EMS Number F-E, S-D Special provisions Not Applicable Limited Quantities 1 L |  |

## 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

| Product name                             | Pollution Category | Ship Type |
|--|--------------------|-----------|
| Oxygenated aliphatic hydrocarbon mixture | Z                  | 3         |

## 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name         | Group         |
|----------------------|---------------|
| Common Flux Thinners | Not Available |

## 14.7.3. Transport in bulk in accordance with the IGC Code

| Product name         | Ship Type     |
|----------------------|---------------|
| Common Flux Thinners | Not Available |

## **SECTION 15 Regulatory information**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance can be managed under the controls specified in the Transfer Notice or alternatively it may be managed using the conditions specified in an applicable Group Standard.

| HSR Number | Group Standard |
|------------|----------------|
| HSR001180  | Not Applicable |

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

### Common Flux Thinners is found on the following regulatory lists

Issue Date: **19/05/2023**Print Date: **25/09/2023** 

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by

the IARC Monographs - Not Classified as Carcinogenic

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act -

Classification of Chemicals - Classification Data New Zealand Inventory of Chemicals (NZIoC)

New Zealand Workplace Exposure Standards (WES)

### **Hazardous Substance Location**

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Quantity (Closed Containers)                | Quantity (Open Containers) |
|--------------|---|----------------------------|
| 3.1B         | 100 L in containers more than 5 L           | 50 L                       |
| 3.1B         | 250 L in containers up to and including 5 L | 50 L                       |

#### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities     |
|--------------------|----------------|
| Not Applicable     | Not Applicable |

Refer Group Standards for further information

## Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Gas (aggregate water capacity in mL) | Liquid<br>(L) | Solid<br>(kg) | Maximum quantity per package for each classification |
|--------------|--------------------------------------|---------------|---------------|--|
| 3.1B         |                                      |               |               | 1L   |

### **Tracking Requirements**

Not Applicable

### **National Inventory Status**

| National Inventory                                 | Status   |  |
|--|--|--|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes  |  |
| Canada - DSL                                       | Yes  |  |
| Canada - NDSL                                      | No (Common Flux Thinners)  |  |
| China - IECSC                                      | Yes  |  |
| Europe - EINEC / ELINCS /<br>NLP                   | Yes  |  |
| Japan - ENCS                                       | Yes  |  |
| Korea - KECI                                       | Yes  |  |
| New Zealand - NZIoC                                | Yes  |  |
| Philippines - PICCS                                | Yes  |  |
| USA - TSCA   | Yes  |  |
| Taiwan - TCSI                                      | Yes  |  |
| Mexico - INSQ                                      | Yes  |  |
| Vietnam - NCI                                      | Yes  |  |
| Russia - FBEPH                                     | Yes  |  |
| Legend:  | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |  |

### **SECTION 16 Other information**

| Revision Date | 19/05/2023 |
|---------------|------------|
| Initial Date  | 10/06/2005 |

Chemwatch: 1219 Page 17 of 17
Part Number: COMMON FLUX THINNERS
Version No: 7.1

17 of 17 Issue Date: 19/05/2023
Print Date: 25/09/2023

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.